

Touch Mobile Computer EF401

Accessories Guide



The information contained herein is proprietary and is provided solely for the purpose of allowing customers to operate and/or service Bluebird manufactured equipment and is not to be released, reproduced, or used for any other purpose without written permission of Bluebird.

EF401 Accessory System



*Remarked accessories are supplied under the terms and conditions.

Please visit our official website or contact to our sales representative for availability of the remarked accessories.

Power & Charging

12-hour guarantee of use User Replaceable Battery & Battery Cover

- Standard Battery (2860mAh)
- Standard Battery with Tape available
- Requires Standard Battery Cover



- Support RFR900 / Trigger Handle / Wearable Trigger Ring / Wrist Strap

Standard Battery Cover

- For use with Standard Battery only



• Extended Battery (5720mAh)

- Requires Extended Battery Cover



Extended Battery Cover

 For use with Extended Battery only
 Support Trigger Handle / Wearable Trigger Ring / Wrist Strap



*Customization for color variation or logo insertion on the Bluebird Battery Cover is available

Copyright © Bluebird Inc. All Rights Reserved.

High-Intelligence Smart Battery (Optional)

PowerManager™ Smart Battery (2860mAh)



Precise information about battery power in a specific cycle
Visibility into meaningful battery statistics

Smart Battery Features

Battery Information	Battery Manufacture Date
	Battery Part Number
	Battery Serial Number
	Battery Rated Capacity
Charging Cycle	Base Cumulative Charge
Battery Status	Battery Present Status
	Battery Level
	Battery Scale
	Battery Voltage
	Battery Temperature
	Battery Technology

Power & Charging

Cradle

*Availability may depend on O/S





1 Slot Cradle

- Supports Charging, Ethernet(100Mbps), USB(OTG)
- Includes a bay for Spare Battery Charging
- Requires Power Adapter(602010001) and Country Specific AC Power Cord

1 Slot Cradle Type2

- Available for EF400 Standard Battery Adapter Mount, RFR900-NAS, RFR900-WAS

• 4 Slot Cradle

- Supports Charging , Ethernet(100Mbps), USB(OTG)
- Includes a bay for Spare Battery Charging
- Requires Power Adapter(25000) and Country Specific AC Power Cord

Battery Toaster

6-Slot Standard Battery Charger

- Requires Power Adapter(25000) and Country Specific AC Power Cord



Power & Charging

Power Supplies

- 1 Slot Cradle Power Adapter (9V/3A)
- 4 Slot Cradle Power Adapter (9V/10A)
- Requires Country Specific AC Power Cord



Power Adapter for Direct Charging

(5V/2A, North America)

- Requires Country Specific Adapter Plug for Direct Charging except North America



- **Country Specific Adapter Plug**
- Korea
- UK
- Euro
- Australia
- Brazil

Country Specific AC Power Cord

- Korea
- Japan
- UK
- North America
- Australia
- Euro
- Swiss
- China
- Brazil



Productivity & Usability

Wearable Package*

 Includes Wristband, Trigger Ring, Data Cable

* Wristband

- Includes comport pad / 260mm Strap for Wearable Wristband
- Supports EF40x series equipped with both Standard / Extended Battery



Replacement Options



Trigger Ring for Wearable Trigger Ring * Includes Strap & Finger Guide, Comport pad for Trigger Ring



Strap & Finger Guide for Wearable Trigger Ring



2 0 11 - 1 Comport pad for Wearable Trigger Ring

Data Cable for Wearable Trigger Ring

Comport pad for Wearable Wristband

Strap(260mm) for Wearable Wristband

Strap(330mm) for Wearable Wristband

*Remarked accessories are supplied under the terms and conditions.

Please visit our official website or contact to our sales representative for availability of the remarked accessories.

Productivity & Usability

Trigger Handle*

For Standard / Extended Battery

Bluebird Trigger Handle can be easily attached to Bluebird's EF40x series mobile computers, making it ideal for high volume scanning applications.



Vehicle Accessories

•Vehicle Charger



•Vehicle Mounting Cradle

(For General Vehicle)



Strap/Cable /Screen Guard

Wrist Strap

- Micro USB Cable(5V/2A)
- Soft Plastic Screen Guard
- Scratch-proof High Glossy

*Remarked accessories are supplied under the terms and conditions. Please visit our official website or contact to our sales representative for availability of the remarked accessories.

Productivity & Usability

Holster*

Soft Holster (Leather)

- The durable, yet stylish leather holster is equipped with hard belt clip and has a side sleeve that can accommodate a stylus, making them the perfect solution for conveniently keeping devices on a belt for quick access.





Clip*

Carrying Clip

-The Bluebird Carrying Clip built with disinfectant-ready, healthcare grade plastic can be snapped on top of EF50x and extends capabilities of workers securing devices to their belt when not in use.



*Remarked accessories are supplied under the terms and conditions. Please visit our official website or contact to our sales representative for availability of the remarked accessories.

Functional Add-on

RFID Reader(UHF)

•RFR900-NA

- RFID Scan: UHF(902MHz~928MHz), Bluetooth 2.1 + EDR, Standard Battery

•RFR900-NX

- RFID Scan: UHF(902MHz~928MHz), Standard Battery

•RFR900-NAS

- RFID Scan: UHF(902MHz~928MHz), Bluetooth 2.1 + EDR, 1D/2D Barcode Scanner(LED Aimer), Standard Battery

•RFR900-NAE

- RFID Scan: UHF(902MHz~928MHz), Bluetooth 2.1 + EDR, Extended Battery





Region : North / South America, Australia, Bangladesh, Brunei, Indonesia, Hongkong, Singapore, Thailand, Vietnam, Israel, korea, Malysia, New Zealand, Philippines, South Africa, Taiwan

Functional Add-on

RFID Reader(UHF)

•RFR900-WA

- RFID Scan: UHF(865MHz-868MHz), Bluetooth 2.1 + EDR, Standard Battery

•RFR900-WX

- RFID Scan: UHF(865MHz-868MHz), Worldwide except North America/Japan, Standard Battery

•RFR900-WAS

- RFID Scan: UHF(865MHz-868MHz), Bluetooth 2.1 + EDR, 1D/2D Barcode Scanner(LED Aimer), Standard Battery

•RFR900-WAE

- RFID Scan: UHF(865MHz-868MHz), Bluetooth 2.1 + EDR, Extended Battery





Functional Add-on

RFID Reader(UHF)

•RFR900-CA

- RFID Scan: UHF(920MHz~924MHz), Bluetooth 2.1 + EDR, Standard Battery **Region :** China

•RFR900-CX

-RFID Scan: UHF(920MHz~924MHz), Standard Battery **Region :** China

•RFR900-J1A

-RFID Scan: UHF(916MHz~921MHz), Bluetooth 2.1 + EDR, Standard Battery **Region :** Japan , 1W / Max Channel: 6

•RFR900- J1X

-RFID Scan: UHF(916MHz~921MHz), Standard Battery **Region :** Japan , 1W / Max Channel: 6

•RFR900- J2A

-RFID Scan: UHF(916MHz~924MHz), Bluetooth 2.1 + EDR, Standard Battery **Region :** Japan , 1W / Max Channel: 6

•RFR900- J2X

-RFID Scan: UHF(916MHz~924MHz), Standard Battery **Region :** Japan , 1W / Max Channel: 6

•RFR900-MAA

-RFID Scan: UHF(865MHz~868MHz), Bluetooth 2.1 + EDR, Standard Battery **Region** : Morocco

•RFR900- DZA

-RFID Scan: UHF(902MHz~928MHz), Bluetooth 2.1 + EDR, Standard Battery **Region** : Algeria

•RFR900- EGA

-RFID Scan: UHF(865MHz~868MHz), Bluetooth 2.1 + EDR, Standard Battery **Region** : Egypt

•RFR900- CLA

- RFID Scan: UHF(915MHz~928MHz), Bluetooth 2.1 + EDR, Standard Battery **Region** : Chile





- End of Document -

This guide is for informational purposes only. Information and specifications in this guide are subject to change without notice.